ELSEVIER

Information Sciences 112 (1998) 297–305

INFORMATION SCIENCES
AN INTERNATIONAL JOURNAL

Author index to volumes 104–112

Abou-Ali, A.-L.H.
See Porter, W.A.
Aho, I., Mäkinen, E. and Systä, T.
Remarks on the thickness of a graph, 108:1
Aksoy, D.
See Yazici, A.
Alhajj, R. and Polat, F.
Proper handling of query results towards maximizing reusability in object-oriented databases, 107:247
Ali, A.
See Mahgoub, I.
Ando, K., Kinoshita, T., Shishibori, M. and Aoe, J.
An improvement of the Aho–Corasick machine, 111:139
Andre, D. and Koza J.R.
A parallel implementation of genetic programming that achieves super-linear performance, 106:201
Annaswamy, A.M.
See Skantize, F.P.
Aoe, J.
See Ando, K.
Aoe, J.
See Fuketa, M.
Aoe, J.
See Mochizuki, H.
Aoe, J.-I.
See Takeshi-Arita
Arora, G.
See Beaubouef, T.

Bélaïd Ajroud, H. and Jaoua, A.
Abstraction of objects by conceptual clustering, 109:79
Bae, M.-N.
See Yang, J.-D.
Bandyopadhyay, S., Pal, S.K. and Maulik, U.
Incorporating chromosome differentiation in genetic algorithms, 104:293
Bandyopadhyay, S., Pal, S.K. and Murthy, C.A.
Simulated annealing based pattern classification, 109:165
Basak, J., De, R.K. and Pal, S.K.
Fuzzy feature evaluation index and connectionist realization – II: Theoretical analysis, 111:1
Basak, J.
See Pal, S.K.
Beaubouef, T., Petry, F.E. and Arora, G.
Information-theoretic measures of uncertainty for rough sets and rough relational databases, 109:185
Belal, A.A. and Elmasry, A.
Reaching the bound in the (2,*n*) merging problem, 111:261
Beritelli, F., Casale, S. and Russo, M.
A fuzzy system for tone detection applications, 111:207
Bhattacharya, P.
See Krishnamoorthi, R.
Bieszczad, A. and Pagurek, B.
Neurosolver: Neuromorphic general problem solver, 105:239
Blake, J.J., Maguire, L.P., McGinnity, T.M., Roche, B. and McDaid, L.J.
The implementation of fuzzy systems, neural networks and fuzzy neural networks using FPGAs, 112:151
Blum, J.M.
See Warschko, T.M.
Bonikowski, Z., Bryniarski, E. and Wybraniec-Skardowska, U.
Extensions and intentions in the rough set theory, 107:149

0020-0255/98/$ – see front matter © 1998 Elsevier Science Inc. All rights reserved.
PII: S0020-0255(98)10076-2

Bouguettaya, A. and Le Viet, Q.
Data clustering analysis in a multidimensional space, 112:267
Boukerrou, K. and Kurz, L.
Suppression of "salt and pepper" noise based on Youden designs, 110:217
Bozkaya, T. and Ozsoyoglu, M.
Indexing transaction time databases, 112:85
Brodzik, A.
See Obaidat, M.S.
Bruce, I.C., Irlicht, L.S., and Clark, G.M.
A mathematical analysis of spatiotemporal summation of auditory nerve firings, 111:303
Bryniarski, E.
See Bonikowski, Z.

Canals, G., Godart, C., Molli, P. and Munier, M.
A criterion to enforce correctness of indirectly cooperating applications, 110:279
Carter, B.R., Watson, D.W., Freund, R.F., Keith, E., Mirabile, F. and Siegel, H.J.
Generational scheduling for dynamic task management in heterogeneous computing systems, 106:219
Casale, S.
See Beritelli, F.
Castro, J.L. and Zurita, J.M.
A heuristic in rules based systems for searching of inconsistencies, 108:135
Chan, C.-C.,
A rough set approach to attribute generalization in data mining, 107:169
Chang, C.-C. and Hwang, R.-J.
Sharing secret images using shadow codebooks, 111:335
Chang, C.-S. and Chen, A.L.O.
Efficient refinement of uncertain data by fuzzy integrity constraints, 104:191
Chang, J.-W.
See Yang, J.-D.
Chao, K.-M.
On computing all suboptimal alignments, 105:189
Chen, A.L.O.
See Chang, C.-S.
Chen, G., Xie, Q. and Shieh, L.S.
Fuzzy Kalman filtering, 109:197
Chen, J.-F.
See Chung, C.-M.
Chen, J.R.
See Cheng, H.D.
Chen, S.-H.
Operations of fuzzy numbers with step form membership function using function principle, 108:149
Chen, W.
See Jeng, J.-Y.
Chen, Z. and Zhu, Q.
Query construction for user-guided knowledge discovery in databases, 109:49
Cheng, H.D. and Miyojim, M.
Automatic pavement distress detection system, 108:219
Cheng, H.D., Chen, J.R., Freimanis, R.I. and Jiang, X.H
A novel fuzzy logic approach to microcalcification detection, 111:189
Cheung, Y.S.
See Chodrow, S.E.
Chi Hwang, C.
See Kuang Lai, W.
Chin, Y.-H.
See Siu, H.-S.
Chodrow, S.E., Hirsch, M.D., Rhee, I. and Cheung, S.Y.
Design and implementation of a multicast audio conferencing tool for a collaborative computing framework, 112:7
Choi, W.
See Yang, J.-D.
Chow, L.R.
See Chung, C.-M.
Chung, C.-M., Chow, L.R., Shih, T., Wang, Y.H., Lin, W.-C. and Chen, J.-F.
Tool integration in a knowledge abstraction environment, 105:279
Chung, S.M.
Parallel relational operations using clustered surrogate files on shared-nothing multiprocessors, 105:1
Chung, S.M.
See Mah, P.S.
Clark, G.M.
See Bruce, I.C.
Congxin, W. and Shiji, S.
Existence theorem to the Cauchy problem of fuzzy differential equations under compactness-type conditions, 108:123
Czyzewski, A.
Speaker-independent recognition of isolated words using rough sets, 104:3

D'Hollander, E.H., Zhang, F. and Wang, Q.
The Fortran parallel transformer and its programming environment, 106:293
Dai, G.
See Liang, H.
De Baets, B., de Cooman, G. and Kerre, E.
The construction of possibility measures from samples on $\mathcal{T}$-semi-partitions, 106:3
de Cooman, G.
Confidence relations and ordinal information, 104:241
de Cooman, G.
See De Baets, B.
De, R.K.
See Basak, J.
De, S., Pal, S.K and Ghosh, A.
Genotypic and phenotypic assortative mating in genetic algorithm, 105:209
Delgado, M., Herrera, F., Herrera-Viedma, E. and Martínez, L.
Combining numerical and linguistic information in group decision making, 107:177
Di Lascio, L., Gisolfi, A. and Loia, V.
Uncertainty processing in user-modeling activity, 106:25
Don, H.-S.
See Wang, C.-C.

Elloumi, M.
Comparison of strings belonging to the same family, 111:49
Elloumi, S.
See Maddouri, M.
Elmasry, A.
See Belal, A.A.
Ercal, F.
See Sadayappan, P.
Esteva, F.
See Plaza, E.

Francis, G.,
Neural network dynamics of cortical inhibition: Metacontrast masking, 107:287
Freimanis, R.I.
See Cheng, H.D.
Freund, R.F.
See Carter, B.R.
Fuketa, M. and Aoe, J.
A fast algorithm of retrieving common sentences, 109:265
Furuhashi, T.
Special issue: Modeling with Soft-Computing, 110:3
Furuhashi, T.
See Matsushita, S.

Garcia, P.
See Plaza, E.
George, R.
See Yazici, A.
Gerla, G. and Scarpati, L.
Extension principles for fuzzy set theory, 106:49
Gewali, L.P. and Ntafos, S.
Watchman routes in the presence of a pair of convex polygons, 105:123
Ghosh, A.
See De, S.
Ghosh, A.
See Tsutsui, S.
Gil, M.A.
See López-Díaz, M.
Gisolfi, A.
See Di Lascio, L.
Godart, C.
See Canals, G.
Godo, L.
See Plaza, E.
Grzymala-Busse, J.W.
See Moradi, H.

Hammell II, R.J.
See Sudkamp, T.
Han, J., Liu, L. and Lu, T.
Evaluation of declarative *n*-queens recursion: A deductive database approach, 105:69
Herrera, F.
See Delgado, M.
Herrera-Viedma, E.
See Delgado, M.
Hines, M.L.
Conceptual object-oriented database: A theoretical model, 105:31
Hirota, K. and Pedrycz, W.
Implicitly-supervised learning and its application to fuzzy pattern classifiers, 106:71
Hirota, K.
See Uehara, K.
Hirsch, M.D.
See Chodrow, S.E.

Ho, C.-T. and Kao, M.-Y.
Efficient submesh permutations in wormhole-routed meshes, 107:1
Hoffman, M.E. and Wong, E.K.
A ridge-following algorithm for finding the skeleton of a fuzzy image, 105:227
Howarth, M.
See Lotfi, A.
Hsiao, J.W.
See Lai, W.K.
Hwang, C.-C.
See Kuang Lai, W.
Hwang, R.-J.
See Chang, C.-C.
Hwang, Y.-F. and Rine, D.C.
Verifying the reusability of software component specifications: Framework and algorithms, 112:169

Iba, H.
Evolutionary learning of communicating agents, 108:181
Ichihashi, H.
See Ohtani, T.
Inoue, K.
See Okazaki, T.
Irlicht, L.S.
See Bruce, I.C.
Ito, A.
See Okazaki, T.

Jagota, A. and Mańdziuk, J.
Experimental study of Perceptron-type local learning rule for Hopfield associative memory, 111:65
Jan, J.-K.
See Tseng, Y.-M.
Jaoua, A.
See Bélaïd Ajroud, H.
Jaoua, A.
See Maddouri, M.
Jay Siegel, H.
See Carter, B.R.
Jeng, J.-Y., Lin, Y.-B. and Chen, W.
Dynamic resource assignment strategies for PCS data services, 109:211
Jia, W.
See Jia, X.
Jia, X., Makki, K., Pissinou, N. and Jia, W.
Group channel routing for conferencing systems in wide area networks, 107:217
Jiang, X.H.
See Cheng, H.D.
Joslyn, C. and Rocha, L.
Towards a formal taxonomy of hybrid uncertainty representations, 110:255

Körner, R. and W. Näther,
Linear regression with random fuzzy variables: extended classical estimates, best linear estimates, least squares estimates, 109:95
Kak, S.C.
On generalization by neural networks, 111:293
Kandel, A. and Zhang, Y.-Q.
Intrinsic mechanisms and application principles of general fuzzy logic through Yin–Yang analysis, 106:87
Kandel, A.
See Ma, M.
Kanemitsu, H.
See Murai, T.
Kao, M.-Y.
See Ho, C.-T.
Kasabov, N.K., Kozma, R. and Watts, M.J.
Phoneme-based speech recognition via fuzzy neural networks modeling and learning, 110:61
Kawaguchi, M.F. and Miyakoshi, M.
Composite fuzzy relational equations with non-commutative conjunctions, 110:113
Keith, E.
See Carter, B.R.
Kerre, E.
See De Baets, B.
Khalid, H.
See Obaidat, M.S.
Khastgir, A.S.
See Srivastava, A.K.
Kikuchi, H., Otake, A. and Nakanishi, S.
Functional completeness of hierarchical fuzzy modeling, 110:51
Kim, D.W., Jung Lee, E., Ho Kim, M. and Lee, Y.J.
An efficient processing of range-MIN/MAX queries over data cube, 112:223
Kim, E., Lee, H., Park, M. and Park, M.
A simply identified Sugeno-type fuzzy model via double clustering, 110:25
Kim, M.H.
See Kim, D.W.

Kinoshita, T.
See Ando, K.
Kostek, B.
Computer-based recognition of musical phrases using the rough-set approach, 104:15
Koyama, M.
See Mochizuki, H.
Koza, J.R.
See Andre, D.
Kozma, R.
See Kasabov, N.K.
Krishnamoorthi, R. and Bhattacharya, P.
Color edge extraction using orthogonal polynomials based zero crossings scheme, 112:51
Kryszkiewicz, M.,
Rough set approach to incomplete information systems, 112:39
Kuo, J.-Y.
See Lee, J.
Kurz, L.
See Boukerrou, K.

Lai, W.K. and Hwang, C.C.
Ticket circulation protocol: A simple access protocol for dual bus architecture, 109:1
Lai, W.K., Hwang, C.C. and Hsiao, J.W.
A proportional feedback scheme for ATM networks, 110:237
Le Viet, Q.
See Bouguettaya, A.
Lee, E.J.
See Kim, D.W.
Lee, H.
See Kim, E.
Lee, J. and Kuo, J.-Y.
Fuzzy decision making through trade-off analysis between criteria, 107:107
Lee, J.-K.
See Yang, J.-D.
Lee, S.-Y.
See Shan, M.-K.
Lee, Y.J.
See Kim, D.W.
Li, K.
See Pan, Y.
Liang, H. and Dai, G.
Improvement of cascade correlation learning algorithm with an evolutionary initialization, 112:1
Lin, T.Y.
From rough sets of soft computing: Introduction, 104:1
Lin, W.-C.
See Chung, C.-M.
Lin, Y.-B.
See Jeng, J.-Y.
Lingras, P.
Comparison of neofuzzy and rough neural networks, 110:207
Lingras, P.J.
See Yao, Y.Y.
Liu, B.
Minimax chance constrained programming models for fuzzy decision systems, 112:25
Liu, F.F. and Moore, D.H.
An implementation of Kripke–Kleene semantics, 108:31
Liu, J.G. and Tseng, H.C.
Information storage in Hopfield model with reduced complexity, 111:347
Liu, L.
See Han, J.
López-Díaz, M. and Gil, M.A.
Approximating integrably bounded fuzzy random variable sin terms of the "Generalized" Hausdorff metric, 104:279
López de Màntaras, R.
See Plaza, E.
Lo Pinto, E.
See Russo, M.
Loia, V.
See Di Lascio, L.
Lotfi, A. and Howarth, M.
Industrial application of fuzzy systems: Adaptive fuzzy control of solder paste stencil printing, 107:273
Lu, T.
See Han, J.

Mäkinen, E.
See Aho, I.
Ma, M., Turksen, I.B. and Kandel, A.
Fuzzy partition and fuzzy rule base, 108:109
Mańdziuk, J.
See Jagota, A.
Maddouri, M., Elloumi, S. and Jaoua, A.
An incremental learning system for imprecise and uncertain knowledge discovery, 109:149
Maguire, L.P., Roche, B., McGinnity, T.M. and McDaid, L.J.

Predicting a chaotic time series using a fuzzy neural network, 112:125
Maguire, L.P.
See Blake, J.J.
Mah, P.S. and Chung, S.M.
Schema integration and transaction management for multidatabases, 111:153
Mahgoub, I. and Ali, A.
Personal computer storage subsystem workload: Measurement and characterization, 112:239
Makki, K.
See Jia, X.
Martínez, L.
See Delgado, M.
Matsushita, S., Furuhashi, T., Tsutsui, H. and Uchikawa, Y.
Efficient search for fuzzy models using genetic algorithm, 110:41
Matsushita, S., Furuhashi, T., Tsutsui, H. and Uchikawa, Y.
Special issue: Modeling with soft computing, 110:3
Maulik, U.
See Bandyopadhyay, S.
Mayoral, M.M.
Renyi's entropy as an index of diversity in simple-stage cluster sampling, 105:101
McDaid, L.J.
See Blake, J.J.
McDaid, L.J.
See Maguire, L.P.
McGinnity, T.M.
See Blake, J.J.
McGinnity, T.M.
See Maguire, L.P.
Mili, R. and Raymond, J.
Towards a formal framework for software reuse, 110:135
Mirabile, F.
See Carter, B.R.
Miura, K.
See Rocha, A.F.
Miyakoshi, M.
See Kawaguchi, M.F.
Miyojim, M.
See Cheng, H.D.
Miyoshi, T.
See Ohtani, T.
Mochizuki, H., Koyama, M., Shishibori, M. and Aoe, J.
A substring search algorithm in extendible hashing, 108:13
Molli, P.
See Canals, G.
Moore, D.H.
See Liu, F.F.
Moradi, H., Grzymala-Busse, J.W. and Roberts, A.A.
Entropy of English text: Experiments with humans and a machine learning system based on rough sets, 104:31
Munier, M.
See Canals, G.
Murai, T., Kanemitsu, H. and Shimbo, M.
Fuzzy sets and binary-proximity-based rough sets, 104:49
Murthy, C.A. and Pittman, J.
Multilayer perceptrons and fractals, 112:137
Murthy, C.A.
See Bandyopadhyay, S.

Näther, W.,
See Körner, R.
Nagasaka, K.
See Ohtani, T.
Nakanishi, S.
See Kikuchi, H.
Ntafos, S.
See Gewali, L.P.

Obaidat, M.S., Brodzik, A. and Sadoun, B.
A performance evaluation study of four wavelet algorithms for the pitch period estimation of speech signals, 112:213
Obaidat, M.S., Khalid, H. and Sadoun, B.
Ultrasonic transducer characterization by neural networks, 107:195
Ohtani, T., Ichihashi, H. and Miyoshi, T.
Neurofuzzy cognitive maps with adaptive B-splines, 110:81
Ohtani, T., Ichihashi, H., Miyoshi, T. and Nagasaka, H.
Orthogonal and successive projection methods for the learning of neurofuzzy GMDH, 110:5
Okazaki, T., Zhang, L., Inoue, K., Ito, A. and Wang, Y.
A note on two-dimensional probabilistic finite automata, 110:303
Olsson, R.A.
See Shaw, R.J.

Ooi, B.C.
See Tan, K.-L.
Otake, A.
See Kikuchi, H.
Ozsoyoglu, M.
See Bozkaya, T.

Pagurek, B.
See Bieszczad, A.
Pal, S.K.
See De, S.
Pal, S.K.
See Bandyopadhyay, S.
Pal, S.K., Basak, J. and De, R.K.
Fuzzy feature evaluation index and connectionist realization, 105:173
Pal, S.K.
See Bandyopadhyay, S.
Pal, S.K.
See Basak, J.
Pan, Y. and Li, K.
Linear array with a reconfigurable pipelined bus system – Concepts and applications, 106:237
Pardo, M.C.
Goodness-of-fit tests for stationary distributions of Markov chains based on Rao's divergence, 105:115
Park, M.
See Kim, E.
Pawlak, Z.
An inquiry into anatomy of conflicts, 109:65
Pedrycz, W.
See Hirota, K.
Peterson, T.
See Sun, R.
Petry, F.E.
See Beaubouef, T.
Pissinou, N.
See Jia, X.
Pittman, J.
See Murthy, C.A.
Plaza, E., Esteva, F., Garcia, P., Godo, L. and López de Màntaras, R.
A logical approach to case-based reasoning using fuzzy similarity relations, 106:105
Polat, F.
See Alhajj, R.
Polkowski, L.
See Skowron, A.
Porter, W.A. and Abou-Ali, A.-L.H.
Vector quantization for multiple classes, 105:151

De, R.K.
See Pal, S.K.
Ramanujam, J.
See Sadayappan, P.
Raymond, J.
See Mili, R.
Rebello, M.P.
See Rocha, A.F.
Rhee, I.
See Chodrow, S.E.
Rine, D.C.
See Hwang, Y.-F.
Roberts, A.A.
See Moradi, H.
Rocha, A.F. Rebello, M.P. and Miura, K.
Toward a theory of molecular computing, 106:123
Rocha, L.
See Joslyn, C.
Roche, B.
See Blake, J.J.
Roche, B.
See Maguire, L.P.
Rosenfeld, A.
Fuzzy geometry: An updated overview, 110:127
Rosenfeld, A. and Sher, C.-Y.
Detecting image primitives using feature pyramids, 107:127
Rosenfeld, A.
See Wu, A.Y.
Ruan, D. and van der Wal, A.J.
Controlling the power output of a nuclear reactor with fuzzy logic, 110:151
Russo, M., Santagati, N.A. and Lo Pinto, E.
Medicinal chemistry and fuzzy logic, 105:299
Russo, M.
See Beritelli, F.

Sadayappan, P., Ercal, F. and Ramanujam, J.
Partitioning graphs on message-passing machines by pairwise mincut, 111:223
Sadoun, B.
A new simulation methodology to estimate energy losses on urban sites due to wind infiltration and ventilation 107:233

Sadoun, B.
See Obaidat, M.S.
Sadoun, B.
See Obaidat, M.S.
Santagati, N.A.
See Russo, M.
Scarpati, L.
See Gerla, G.
Schalkoff, R.J.
See Shaaban, K.M.
Shaaban, K.M. and Schalkoff, R.J.
Synthesis of cascade recurrent neural networks using feedforward generalization properties, 108:207
Shan, M.-K. and Lee, S.-Y.
Placement of partitioned signature file and its performance analysis, 104:321
Shaw, R.J. and Olsson, R.A.
Addressing the shortcomings of traditional formal reasoning methods for concurrent programs: New tools and techniques for source code correctness, 106:259
Sher, C.-Y.
See Rosenfeld, A.
Shieh, L.S.
See Chen, G.
Shih, T.
See Chung, C.-M.
Shih, T.K.
An operational semantic approach to continuation style interpreter of logic programs, 107:15
Shih, T.K.
Multimedia abstract machine, 107:63
Shih, T.K.
On computing temporal/spatial relations, 107:37
Shih, T.K.
Participator dependent multimedia presentation, 107:85
Shiji, S.
See Congxin, W.
Shimbo, M.
See Murai, T.
Shishibori, M.
See Takeshi-Arita
Shishibori, M.
See Ando, K.
Shishibori, M.
See Mochizuki, H.
Siu, H.-S., Chin, Y.-H. and Yang, W.-P.
Reaching strong consensus in the presence of mixed failure types, 108:157
Skantize, F.P. and Annaswamy, A.M.
Mode-based neural algorithms for parameter estimation, 104:107
Skowron, A. and Polkowski, L.
Rough mereological foundatins for design, analysis, synthesis, and control in distributed systems, 104:129
Srivastava, A.K. and Khastgir, A.S.
On fuzzy sobriety, 110:195
Sudkamp, T. and Hammell II, R.J.
Scalability in fuzzy rule-based learning, 109:135
Sun, R. and Peterson, T.
Some experiments with a hybrid model for learning sequential decision making, 111:83
Suraj, Z.
Reconstruction of cooperative information systems under cost constraints: A rough set approach, 111:273
Systä, T.
See Aho, I.

Takeshi-Arita, Shishibori, M. and Aoe, J.-I.
An efficient algorithm for full text retrieval for multiple keywords, 104:345
Tan, K.-L. and Ooi, B.C.
Batch scheduling for demand-driven servers in wireless environments, 109:281
Thomasian, A.
A multithreshold scheduling policy for readers and writers, 104:157
Tichy, W.T.
See Warschko, T.M.
Tseng, H.C.
See Liu, J.G.
Tseng, Y.-M. and Jan, J.-K.
A scheme and concept for limited inheritance of privileges in a user hierarchy, 112:199
Tsuda, K.
An efficient module generator to be capable of constructing circuit models, 104:181
Tsumoto, S.
Automated extraction of medical expert system rules from clinical databases based on rough set theory, 112:67
Tsutsui, H.
See Matsushita, S.

Tsutsui, S. and Ghosh, A.
Search space division in GAs using phenotypic properties, 109:119
Turksen, I.B.
See Ma, M.

Uchikawa, Y.
See Matsushita, S.
Uehara, K. and Hirota, K.
Parallel and multistage fuzzy inference based on families of α-level sets, 106:159
Ulusoy, O.
Analysis of concurrency control protocols for real-time database systems, 111:19

van der Wal, A.J.
See Ruan, D.

Wang, C.-C. and Don, H.-S.
The majority theorem of centralized multiple BAMs networks, 110:179
Wang, Q.
See D'Hollander, E.H.
Wang, Y.
See Okazaki, T.
Wang, Y.H.
See Chung, C.-M.
Warschko, T.M., Blum, J.M. and Tichy, W.F.
The ParaStation project: Using workstations as building blocks for parallel computing, 106:277
Watson, D.W.
See Carter, B.R.
Watts, M.J.
See Kasabov, N.K.
Weinberger, A.
Embedding lattices of fuzzy subalgebras into lattices of crisp subalgebras, 108:51
Wong, E.K.
See Hoffman, M.E.
Wu, A.Y. and Rosenfeld, A.
Geodesic visibility in graphs, 108:5
Wu, H.-C.
The improper fuzzy Riemann integral and its numerical integration, 111:109
Wybraniec-Skardowska, U.
See Bonikowski, Z.

Xie, Q.
See Chen, G.

Yager, R.R.
Structures for prioritized fusion of fuzzy information, 108:71
Yang, J.-D., Bae, M.-N., Chang, J.-W., Choi, W. and Lee, J.-K.
A navigational data model for object modeling technique development environment, 109:243
Yang, J.D. and Lee, D.G.
Incorporating concept-based match into fuzzy production rules, 104:213
Yang, W.-P.
See Siu, H.-S.
Yao, Y.Y. and Lingras, P.J.
Interpretations of belief functions in the theory of rough sets, 104:81
Yao, Y.Y.
A comparative study of fuzzy sets and rough sets, 109:227
Yao, Y.Y.
Constructive and algebraic methods of the theory of rough sets, 109:21
Yao, Y.Y.
Relational interpretations of neighborhood operators and rough set approximation operators, 111:239
Yazici, A., George, R. and Aksoy, D.
Design and implementation issues in the fuzzy object-oriented data model, 108:241
Ying, H.
General Takagi–Sugeno fuzzy systems with simplified linear rule consequent are universal controllers, models and filters, 108:91
Yoshida, Y.
A time-average fuzzy reward criterion in fuzzy decision processes, 110:103

Zhang, F.
See D'Hollander, E.H.
Zhang, L.
See Okazaki, T.
Zhang, Y.-Q.
See Kandel, A.
Zhu, Q.
See Chen, Z.
Zurita, J.M.
See Castro, J.L.

ELSEVIER

Information Sciences 112 (1998) 307–310

INFORMATION SCIENCES
AN INTERNATIONAL JOURNAL

Title index to volumes 104–112

A comparative study of fuzzy sets and rough sets
(Yao), 109:227
A criterion to enforce correctness of indirectly cooperating applications
(Canals), 110:279
A fast algorithm of retrieving common sentences
(Fuketa), 109:265
A fuzzy system for tone detection applications
(Beritelli), 111:207
A heuristic in rules based systems for searching of inconsistencies
(Castro), 108:135
A logical approach to case-based reasoning using fuzzy similarity relations
(Plaza), 106:105
A mathematical analysis of spatiotemporal summation of auditory nerve firings
(Bruce), 111:303
A multithreshold scheduling policy for readers and writers
(Thomasian), 104:157
A navigational data model for object modeling technique development environment
(Yang), 109:243
A new simulation methodology to estimate energy losses on urban sites due to wind infiltration and ventilation
(Sadoun), 107:233
A note from Editor-in-Chief
(Furuhashi), 110:1
A note on two-dimensional probabilistic finite automata
(Okazaki), 110:303
A novel fuzzy logic approach to microcalcification detection
(Cheng), 111:189
A parallel implementation of genetic programming that achieves super-linear performance
(Andre), 106:201
A performance evaluation study of four wavelet algorithms for the pitch period estimation of speech signals
(Obaidat), 112:213
A proportional feedback scheme for ATM networks
(Lai), 110:237
A ridge-following algorithm for finding the skeleton of a fuzzy image
(Hoffman), 105:227
A rough set approach to attribute generalization in data mining
(Chan), 107:169
A scheme and concept for limited inheritance of privileges in a user hierarchy
(Tseng), 112:199
A simply identified Sugeno-type fuzzy model via double clustering
(Kim), 110:25
A substring search algorithm in extendible hashing
(Mochizuki), 108:13
A time-average fuzzy reward criterion in fuzzy decision processes
(Yoshida), 110:103
Abstraction of objects by conceptual clustering
(Ajroud), 109:79
Addressing the shortcomings of traditional formal reasoning methods for concurrent programs: New tools and techniques for source code correctness
(Shaw), 106:259
An efficient algorithm for full text retrieval for multiple keywords
(Takeshi-Arita), 104:345
An efficient module generator to be capable of constructing circuit models
(Tsuda), 104:181

0020-0255/98/$19.00 © 1998 Elsevier Science Inc. All rights reserved.
PII: S0020-0255(98)10077-4

An efficient processing of range-MIN/MAX queries over data cube
(Kim), 112:223
An implementation of Kripke–Kleene semantics
(Liu), 108:31
An improvement of the Aho–Corasick machine
(Ando), 111:139
An incremental learning system for imprecise and uncertain knowledge discovery
(Maddouri), 109:149
An inquiry into anatomy of conflicts
(Pawlak), 109:65
An operational semantic approach to continuation style interpreter of logic programs
(Shih), 107:15
Analysis of concurrency control protocols for real-time database systems
(Ulusoy), 111:19
Approximating integrably bounded fuzzy random variable sin terms of the "Generalized" Hausdorff metric
(López-Díaz), 104:279
Automated extraction of medical expert system rules from clinical databases based on rough set theory
(Tsumoto), 112:67
Automatic pavement distress detection system
(Cheng), 108:219

Batch scheduling for demand-driven servers in wireless environments
(Tan), 109:281

Color edge extraction using orthogonal polynomials based zero crossings scheme
(Krishnamoorthi), 112:51
Combining numerical and linguistic information in group decision making
(Delgado), 107:177
Comparison of neofuzzy and rough neural networks
(Lingras), 110:207
Comparison of strings belonging to the same family
(Elloumi), 111:49
Composite fuzzy relational equations with non-commutative conjunctions
(Kawaguchi), 110:113
Computer-based recognition of musical phrases using the rough-set approach
(Kostek), 104:15
Conceptual object-oriented database: A theoretical model
(Hines), 105:31
Confidence relations and ordinal information
(De Cooman), 104:241
Constructive and algebraic methods of the theory of rough sets
(Yao), 109:21
Controlling the power output of a nuclear reactor with fuzzy logic
(Ruan), 110:151

Data clustering analysis in a multidimensional space
(Bouguettaya), 112:267
Design and implementation issues in the fuzzy object-oriented data model
(Yazici), 108:241
Design and implementation of a multicast audio conferencing tool for a collaborative computing framework
(Chodrow), 112:7
Detecting image primitives using feature pyramids
(Rosenfeld), 107:127
Dynamic resource assignment strategies for PCS data services
(Jeng), 109:211

Efficient refinenment of uncertain data by fuzzy integrity constraints
(Chang), 104:191
Efficient search for fuzzy models using genetic algorithm
(Matsushita), 110:41
Efficient submesh permutations in wormhole-routed meshes
(Ho), 107:1
Embedding lattices of fuzzy subalgebras into lattices of crisp subalgebras
(Weinberger), 108:51
Entropy of English text: Experiments with humans and a machine learning system based on rough sets
(Moradi), 104:31
Evaluation of declarative *n*-queens recursion: A deductive database approach
(Han), 105:69
Evolutionary learning of communicating

agents
(Iba), 108:181
Existence theorem to the Cauchy problem of fuzzy differential equations under compactness-type conditions
(Congxin), 108:123
Experimental study of Perceptron-type local learning rule for Hopfield associative memory
(Jagota), 111:65
Extension principles for fuzzy set theory
(Gerla), 106:49
Extensions and intentions in the rough set theory
(Bonikowski), 107:149

From rough sets of soft computing: Introduction
(Lin), 104:1
Functional completeness of hierarchical fuzzy modeling
(Kikuchi), 110:51
Fuzzy decision making through trade-off analysis between criteria
(Lee), 107:107
Fuzzy feature evaluation index and connectionist realization – II: Theoretical analysis
(Basak), 111:1
Fuzzy feature evaluation index and connectionist realization
(Pal), 105:173
Fuzzy geometry: An updated overview
(Rosenfeld), 110:127
Fuzzy Kalman filtering
(Chen), 109:197
Fuzzy partition and fuzzy rule base
(Ma), 108:109
Fuzzy sets and binary-proximity-based rough sets
(Murai), 104:49

General Takagi–Sugeno fuzzy systems with simplified linear rule consequent are universal controllers, models and filters
(Ying), 108:91
Generational scheduling for dynamic task management in heterogeneous computing systems
(Carter), 106:219
Genotypic and phenotypic assortative mating in genetic algorithm
(De), 105:209
Geodesic visibility in graphs
(Wu), 108:5
Goodness-of-fit tests for stationary distributions of Markov chains based on Rao's divergence
(Pardo), 105:115
Group channel routing for conferencing systems in wide area networks
(Jia), 107:217

Implicitly-supervised learning and its application to fuzzy pattern classifiers
(Hirota), 106:71
Improvement of cascade correlation learning algorithm with an evolutionary initialization
(Liang), 112:1
Incorporating chromosome differentiation in genetic algorithms
(Bandyopadhyay), 104:293
Incorporating concept-based match into fuzzy production rules
(Yang), 104:213
Indexing transaction time databases
(Bozkaya), 112:85
Industrial application of fuzzy systems: Adaptive fuzzy control of solder paste stencil printing
(Lotfi), 107:273
Information storage in Hopfield model with reduced complexity
(Liu), 111:347
Information-theoretic measures of uncertainty for rough sets and rough relational databases
(Beaubouef), 109:185
Interpretations of belief functions in the theory of rough sets
(Yao), 104:81
Intrinsic mechanisms and application principles of general fuzzy logic through Yin–Yang analysis
(Kandel), 106:87

Linear array with a reconfigurable pipelined bus system – Concepts and applications
(Pan), 106:237
Linear regression with random fuzzy variables: extended classical estimates, best linear estimates, least squares estimates
(Körner), 109:95

Medicinal chemistry and fuzzy logic
(Russo), 105:299
Minimax chance constrained programming models for fuzzy decision systems
(Liu), 112:25
Mode-based neural algorithms for parameter estimation
(Skantize), 104:107
Multilayer perceptrons and fractals
(Murthy), 112:137
Multimedia abstract machine
(Shih), 107:63

Neural network dynamics of cortical inhibition: Metacontrast masking
(Francis), 107:287
Neurofuzzy cognitive maps with adaptive B-splines
(Ohtani), 110:81
Neurosolver: Neuromorphic general problem solver
(Bieszczad), 105:239

On computing all suboptimal alignments
(Chao), 105:189
On computing temporal/spatial relations
(Shih), 107:37
On fuzzy sobriety
(Srivastava), 110:195
On generalization by neural networks
(Kak), 111:293
Operations of fuzzy numbers with step form membership function using function principle
(Chen), 108:149
Orthogonal and successive projection methods for the learning of neurofuzzy GMDH
(Ohtani), 110:5

Parallel and multistage fuzzy inference based on families of α-level sets
(Uehara), 106:159
Parallel relational operations using clustered surrogate files on shared-nothing multiprocessors
(Chung), 105:1
Participator dependent multimedia presentation
(Shih), 107:85
Partitioning graphs on message-passing machines by pairwise mincut
(Sadayappan), 111:223
Personal computer storage subsystem workload: Measurement and characterization
(Mahgoub), 112:239
Phoneme-based speech recognition via fuzzy neural networks modeling and learning
(Kasabov), 110:61
Placement of partitioned signature file and its performance analysis
(Shan), 104:321
Predicting a chaotic time series using a fuzzy neural network
(Maguire), 112:125
Proper handling of query results towards maximizing reusability in object-oriented databases
(Alhajj), 107:247

Query construction for user-guided knowledge discovery in databases
(Chen), 109:49

Reaching strong consensus in the presence of mixed failure types
(Siu), 108:157
Reaching the bound in the $(2,n)$ merging problem
(Belal), 111:261
Relational interpretations of neighborhood operators and rough set approximation operators
(Yao), 111:239
Remarks on the thickness of a graph
(Aho), 108:1
Renyi's entropy as an index of diversity in simple-stage cluster sampling
(Mayoral), 105:101
Reonstruction of cooperative information systems under cost constraints: A rough set approach
(Suraj), 111:273
Rough mereological foundatins for design, analysis, synthesis, and control in distributed systems
(Skowron), 104:129
Rough set approach to incomplete information systems
(Kryszkiewicz), 112:39

Scalability in fuzzy rule-based learning
(Sudkamp), 109:135
Schema integration and transaction management for multidatabases
(Mah), 111:153
Search space division in GAs using phenotypic properties
(Tsutsui), 109:119
Sharing secret images using shadow codebooks
(Chang), 111:335
Simulated annealing based pattern classification
(Bandyopadhyay), 109:165
Some experiments with a hybrid model for learning sequential decision making
(Sun), 111:83
Speaker-independent recognition of isolated words using rough sets
(Czyzewski), 104:3
Special issue: Modeling with soft computing
(Furuhashi), 110:3
Special issue: Using fuzzy algebraic structures in intelligent systems
(Gisolfi), 106:1
Structures for prioritized fusion of fuzzy information
(Yager), 108:71
Suppression of "salt and pepper" noise based on Youden designs
(Boukerrou), 110:217
Synthesis of cascade recurrent neural networks using feedforward generalization properties
(Shaaban), 108:207

The construction of possibility measures from samples on $\mathcal{T}$-semi-partitions
(De Baets), 106:3
The Fortran parallel transformer and its programming environment
(D'Hollander), 106:293
The implementation of fuzzy systems, neural networks and fuzzy neural networks using FPGAs
(Blake), 112:151
The improper fuzzy Riemann integral and its numerical integration
(Wu), 111:109
The majority theorem of centralized multiple BAMs networks
(Wang), 110:179
The ParaStation project: Using workstations as building blocks for parallel computing
(Warschko), 106:277
Ticket circulation protocol: A simple access protocol for dual bus architecture
(Lai), 109:1
Tool integration in a knowledge abstraction environment
(Chung), 105:279
Toward a theory of molecular computing
(Rocha), 106:123
Towards a formal framework for software reuse
(Mili), 110:135
Towards a formal taxonomy of hybrid uncertainty representations
(Joslyn), 110:255

Ultrasonic transducer characterization by neural networks
(Obaidat), 107:195
Uncertainty processing in user-modeling activity
(Lascio), 106:25

Vector quantization for multiple classes
(Porter), 105:151
Verifying the reusability of software component specifications: Framework and algorithms
(Hwang), 112:169

Watchman routes in the presence of a pair of convex polygons
(Gewali), 105:123